

OURSTUCCO
Advanced Formula & Easy Application

Golden Diamond

HIGH HARDNESS, SCRATCH RESISTANCE, STRONG ADHESION, LOW VOC, MILDEW PROOF, MOISTURE PROOF, ANTIBACTERIAL, OIL RESISTANT AND UV RES STANT



Primer Batch
Leveling



Apply 2 Coats
4-Gwet Mills



Temperature
50 °F -100 °F



<2g/L
Astm 6886

Golden Diamond
(金钻陶瓷漆)

Ultra-Performance

Scratch Resistant (耐刮擦)


Ultra-high hardness (超高硬度)

Resistant To Water Whitening (耐水白)

Stain-Resistant (耐油污)

Very low Voc (超低 VOC)

Anti-mildew and anti-bacteria (防霉防菌)



Golden Diamond

Ourstucco Ceramic Paint, made primarily from American ceramic powder and German polyurethane emulsion (of the same quality as domestically produced US paint), is one of the highest-performing water-based wall paints. Designed to upgrade traditional latex paint, it's widely applicable to a wide range of wall substrates. It boasts exceptional scrub and scratch resistance, high hardness (2-3H hardness), oil stain resistance, and graffiti resistance. It also has an extremely low VOC content, is non-toxic and odorless, and offers excellent moisture, mildew, and weather resistance, making it suitable for a wide range of applications on both interior and exterior building walls. It can also be used as a high-performance water-based paint for doors, windows, furniture, metal, ceramics, and other substrates. Ourstucco Ceramic Paint offers excellent color development, high color saturation, and pure, natural colors. It can be applied simply by spraying or rolling, easily adapting to a variety of substrates.

Product Components: The main paint ingredients are water, additives, ceramic powder, and polyurethane resin.

Product Features: Ourstucco's Ourstucco Ceramic Paint series offers stable coatings, strong adhesion, a dense, waterproof film, and exceptional high hardness and scratch resistance.

Product Packaging: Standard packaging in US gallon plastic drums (5 kg/gallon). Product Model: Standard models are available in light base (L): 1. Diamond Ceramic Paint (Satin) 2. Diamond Ceramic Paint (Matte). Medium base (M) and dark base (D) colors can be customized.

Application Instructions: Spray or roll, surface drying within 4 hours. 70% performance is achieved after 24 hours, and 90% performance is achieved after 7 days.

Instructions: Use immediately after opening the container. Keep the lid closed until the paint is fully used.

Storage Instructions: The Diamond Ceramic Paint series has a shelf life of 3 years when unopened.

金钻陶瓷漆（万物皆可刷）

金钻陶瓷漆，主要原材料采用美国陶瓷粉和德国聚氨酯乳液（和美国本土品质一样），是墙面最高性能水性涂料产品之一。用于传统乳胶漆升级，广泛应用于各类墙面基材，具有极强的耐擦洗，耐刮擦，高硬度(2~3H 硬度)，耐油污和耐涂鸦等性能；同时 VOC 含量极低，无毒无味；其防潮、防霉、耐候性也极佳，可以广泛应用于建筑物内外墙。同时它也可以作为高性能水漆，涂刷门窗、家具、金属、陶瓷等各类基材。金钻陶瓷漆的展色优良，调色饱和度高，色彩纯正自然，简单喷涂或滚涂施工，即可将色彩涂刷于各类基材。

产品组分：主漆成分为水，助剂，陶瓷粉和聚氨酯树脂等。

产品特性：OURSTUCCO 金钻陶瓷漆系列产品，具有涂层稳定，附着力高，漆膜致密防水，硬度高和耐刮擦等优点。

产品包装：美式加仑塑料桶的标准包装 5 公斤 / 加仑。

产品型号：标准型号分为浅基 L:①金钻陶瓷漆(丝光)②金钻陶瓷漆(哑光)可以定制中色基(M) 和深色基(D)

施工说明：喷涂或者滚涂，4 小时表面干燥，24 小时后可达到 70% 的使用性能，7 天后达到产品 90% 的使用性能。

使用说明：开桶即用，没用完时，请封闭桶盖。


储存说明：金钻陶瓷漆系列的不开盖储存期为 3 年。



Scratch Resistant (耐刮擦)

Yellow Neutrals

The symbolic meaning of yellow has long transcended mere visual perception. It carries people's yearning for a better life and gratitude for the gifts of nature. In art, yellow is often used to express the joy of harvest and the vitality of life.




鹅蛋黄 OST-GD-1001
·1KG (Supported by dispenser)




象牙白 OST-GD-1002
·1KG (Supported by dispenser)




椰奶白 OST-GD-1003
·1KG (Supported by dispenser)



榴莲黄 OST-GD-1004
·1KG (Supported by dispenser)



芥末 OST-GD-1005
·1KG (Supported by dispenser)



柠檬黄 OST-GD-1006
·1KG (Supported by dispenser)



甘菊 OST-GD-1007
·1KG (Supported by dispenser)



麦田 OST-GD-1008
·1KG (Supported by dispenser)



琥珀 OST-GD-1009
·1KG (Supported by dispenser)




奶酪 OST-GD-1010
·1KG (Supported by dispenser)



水晶橙 OST-GD-1011
·1KG (Supported by dispenser)



亮黄 OST-GD-1012
·1KG (Supported by dispenser)



黛烟 OST-GD-1013
·1KG (Supported by dispenser)



流苏白 OST-GD-1014
·1KG (Supported by dispenser)



月影灰 OST-GD-1015
·1KG (Supported by dispenser)



椰奶白 OST-GD-1016
·1KG (Supported by dispenser)



沙漠棕 OST-GD-1017
·1KG (Supported by dispenser)




奶油棕 OST-GD-1018
·1KG (Supported by dispenser)




燕麦灰 OST-GD-1019
·1KG (Supported by dispenser)




骆驼棕 OST-GD-1020
·1KG (Supported by dispenser)




亚麻棕 OST-GD-1021
·1KG (Supported by dispenser)




泥巴棕 OST-GD-1022
·1KG (Supported by dispenser)



沉香 OST-GD-1023
·1KG (Supported by dispenser)



赭石 OST-GD-1024
·1KG (Supported by dispenser)



Resistant To Water Whitening (耐水白)

Muted Brown


Brown is the color of stability and protection, representing vitality and emotion. In the color pyramid test, brown is considered a color of mental resistance. These characteristics are primarily due to the fact that brown is a mixture of orange and black.




Anti-mildew and anti-bacteria (防霉防菌)

Peachy Orange


Red gives people a feeling of charm, sexiness, passion and energy. Rose red gives people a feeling of calmness, warmth, stability and perseverance. It is also a symbol of fashion, classicism and gorgeousness.




丁香紫 OST-GD-1025
·1KG (Supported by dispenser)




夕岚 OST-GD-1026
·1KG (Supported by dispenser)




樱花 OST-GD-1027
·1KG (Supported by dispenser)



甘草 OST-GD-1028
·1KG (Supported by dispenser)




蜜桃粉 OST-GD-1029
·1KG (Supported by dispenser)




芭蕾粉 OST-GD-1030
·1KG (Supported by dispenser)




紫棠 OST-GD-1031
·1KG (Supported by dispenser)




檀红 OST-GD-1032
·1KG (Supported by dispenser)




贵妃红 OST-GD-1033
·1KG (Supported by dispenser)



朱砂 OST-GD-1034
·1KG (Supported by dispenser)



故宫红 OST-GD-1035
·1KG (Supported by dispenser)




赤壁橙 OST-GD-1036
·1KG (Supported by dispenser)



暮云灰 OST-GD-1037
·1KG (Supported by dispenser)



珍珠白 OST-GD-1038
·1KG (Supported by dispenser)



冰川灰 OST-GD-1039
·1KG (Supported by dispenser)



星空灰 OST-GD-1040
·1KG (Supported by dispenser)




秘色瓷 OST-GD-1041
·1KG (Supported by dispenser)




豆青棕 OST-GD-1042
·1KG (Supported by dispenser)



加州灰 OST-GD-1043
·1KG (Supported by dispenser)




雾都灰 OST-GD-1044
·1KG (Supported by dispenser)




冬青灰 OST-GD-1045
·1KG (Supported by dispenser)



女神灰 OST-GD-1046
·1KG (Supported by dispenser)



玄黑 OST-GD-1047
·1KG (Supported by dispenser)



铅灰 OST-GD-1048
·1KG (Supported by dispenser)



Gray-black combines the characteristics of gray and black, possessing the calmness and understatedness of gray with the depth of black. This color is often used to create a mysterious atmosphere or emphasize visual impact.

Moody Grey


Ultra-high hardness (超高硬度)

Sage Green


Green, as a natural color, is often seen as a symbol of vitality and hope. It represents vitality, vigorous growth, and endless potential and beauty. Whether it is the tender green of spring or the deep green of autumn, they all exude a unique charm.




天水青 OST-GD-1049
·1KG (Supported by dispenser)




莹玉青 OST-GD-1050
·1KG (Supported by dispenser)




缥缈绿 OST-GD-1051
·1KG (Supported by dispenser)




苍筤绿 OST-GD-1052
·1KG (Supported by dispenser)




青梅绿 OST-GD-1053
·1KG (Supported by dispenser)




雪松 OST-GD-1054
·1KG (Supported by dispenser)




橄榄绿 OST-GD-1055
·1KG (Supported by dispenser)




瓦松绿 OST-GD-1056
·1KG (Supported by dispenser)




鸦羽青 OST-GD-1057
·1KG (Supported by dispenser)



牛油果 OST-GD-1058
·1KG (Supported by dispenser)



松石绿 OST-GD-1059
·1KG (Supported by dispenser)



岩松绿 OST-GD-1060
·1KG (Supported by dispenser)



钻石 OST-GD-1061
·1KG (Supported by dispenser)



冰岛 OST-GD-1062
·1KG (Supported by dispenser)



清水蓝 OST-GD-1063
·1KG (Supported by dispenser)



烟雨 OST-GD-1064
·1KG (Supported by dispenser)



云水蓝 OST-GD-1065
·1KG (Supported by dispenser)



午夜蓝 OST-GD-1066
·1KG (Supported by dispenser)




雾霾蓝 OST-GD-1067
·1KG (Supported by dispenser)



深海 OST-GD-1068
·1KG (Supported by dispenser)



牛仔蓝 OST-GD-1069
·1KG (Supported by dispenser)



风铃蓝 OST-GD-1070
·1KG (Supported by dispenser)



孔雀蓝 OST-GD-1071
·1KG (Supported by dispenser)



藏青 OST-GD-1072
·1KG (Supported by dispenser)



Stain-Resistant (耐油污)

Rustic Blue


Blue, as a color that exists widely in nature and human culture, carries a wealth of meanings. In color psychology, blue is believed to have the effect of relieving stress and soothing emotions. In interior decoration design, using blue can create a quiet and comfortable atmosphere.

Golden Diamond

High hardness, Scratch resistance, Strong adhesion, Low VOC, Non-toxic and odorless,
Mildew-proof, Moisture-proof and antibacterial, Oil-resistant and UV-resistant



GOLDEN DIAMOND: OST-GD-1073 (丝光陶瓷漆)
·1KG (Supported by dispenser)



GOLDEN DIAMOND: OST-GD-1074 (哑光陶瓷漆)
·1KG (Supported by dispenser)

All Surface Paint

It is suitable for surfaces of any material, including furniture, doors and windows, and interior and exterior walls of buildings. When used on interior walls, it has the same service life as the building.

(万物皆可刷)



OURSTUCCO
中国区官网



OURSTUCCO
美国官网

Copy-Right: 8000 - 12/2025

Golden Diamond:

Ourstucco Fauxfinish Paint® Golden Diamond: is a tintable, water-based acrylic paint. The range is available in a tinted primer, artpaint midcoat and paint topcoat. Applied in a sequence of tinted primer, midcoat and paint topcoat, it produces a unique porcelain paint effect, giving the finished surface a different metallic paint and coloured finish. While traditional paint paints are applied by spraying, OURSTUCCO Golden Diamond products can be applied with a roller to produce an even paint effect. Ideal for furniture, feature walls and light-filled ceilings and recesses.

Application

Stir well before use. Use at temperatures between 50° F and 90° F. Product may be applied with roller or spray equipment. After priming with the tinted primer, roll on the clear midcoat, and the crackle topcoat may be used as is or tinted to other colors. It may be thinned up to 30% with water if desired.

Tinting

Can be tinted with water-based or universal colorants (CCA) up to 10% by volume. Use of high quality pigments maintains maximum color reproduction. OURSTUCCO offers 2000 specific color formulations to U.S. retailers made with our 3 basecoats and CCA colorants. (See dealer for details).

Note:Ourstucco strongly recommends that specifiers require applicators to prepare samples in accordance with PDCA P5-94, "Benchmark Sample Procedures for Paint and Other Decorative Coating Systems."

Packaging: lamb paint are available in 3.78 liter and 10 liter product packs and Ourstucco color series are available in 0.15 liter experience packs. Stability: Approximately 3 years. Differences in monitor calibration can affect the on-screen appearance of our actual paint and stain colors. Your local Ourstucco paint and stain retailer can match and/or order the exact color you need using the Ourstucco paint or stain color name or number.

To request a material safety data sheet or to consult with an ourstucco certified coatings expert, please drop us a line at angel@ourstucco.com or visit the ourstucco website: www.ourstucco.com.

Environmental Certification :



法国A+认证



北美LEED认证



蓝天使VOC检测



丹麦国家检测



美国FDA认证



0级防霉认证

Ourstucco Paint Company has obtained various mainstream environmental certifications from major US and European countries, including the **French A+ certification** based on the international standard ISO-16000 for indoor air quality, the highest environmental rating on the French VOC label. **Danak National Testing:** ilac-MRA (Accreditation Cooperation-Mutual Recognition Arrangement), an international laboratory accreditation cooperation organization. **North American Leed certification:** developed by the U.S. Green Building Council (USGBC), is the most recognized green building certification system globally. The Blue Angel Voc test is the most stringent test level for **Blue Angel** certification. **FDA testing,** conducted by the U.S. Food and Drug Administration, is a critical step in product entry into the US market.

Level 0 mold resistance certification: Mainly based in China on GB/T 1741-2020, it represents the highest level of mold growth-free certification.

Ourstucco

The Commonwealth of Massachusetts United States of America
Business Certificate Registration Town of Hopkinton
OURSTUCCO PAINT COMPANY, INC., BOSTON,
MASSACHUSETTS, USA 01748

Commonwealth du Massachusetts, États-Unis
Certificat d'enregistrement d'entreprise, ville de Hopkinton
OURSTUCCO PAINT COMPANY, INC., BOSTON, Massachusetts,
États-Unis 01748

General Agent-Beijing OURSTUCCO Co., Ltd Songzhuang Tongzhou District
中国总代理: 北京欧施泥涂料有限公司
中国区服务电话: **400-689-0088**

Enregistrement : Ville de
Hopkinton Ourstucco Paint
Company, Inc., Boston,
Massachusetts, États-Unis

Registration: Town of
Hopkinton Ourstucco Paint
Company, Inc., Boston,
Massachusetts, Usa

Ourstucco, Inc., Boston: 1-800-853-8698