

OURSTUCCO
Advanced Formula & Easy Application

Angola Wool

PURE NATURAL WOOL, NATURAL AND ENVIRONMENTALLY FRIENDLY
COLORFUL DURABLE AND DOES NOT FADE, WITH STRONG DECORATIVE EFFECT



Primer Batch
Leveling



Apply 2 Coats
4-6wet Mils




Temperature
50 °F -100 °F



<2g/L
Astm 6886

ourstucco.com / ourstucco.cn



安哥拉羊毛系列

Ourstucco's latest generation of pure wool fiber paint, manufactured by the American company, is made from natural wool from Angora or a similar grade. This environmentally friendly material is dehydrated and degreased, then formulated with a high-molecular weight, pure water-based natural resin. This new wall material boasts a textile-like texture and unique feel, is extremely low in VOCs, and is moisture, mildew, and fungus-resistant, surpassing the environmental standards of most traditional paints. Angora wool also boasts vibrant, long-lasting colorfastness. Simply roll and brush on to create the unique effect of natural wool fiber wallpaper. Angora wool paint is an excellent alternative to pure wool wallpaper and wall coverings.

Product Ingredients: The main paint ingredients are water, additives, high-grade wool, fine calcium carbonate, and acrylic resin.

Product Features: Ourstucco's Angora Wool series products achieve the unique texture and pattern of wool fiber wall coverings with a simple roll and brush application. Compared to traditional wool wall coverings, they offer better scrub resistance, a wider range of colors, and longer lifespan.

Product Packaging: Standard packaging in US gallon plastic drums (5 kg/gallon). **Product Model:** This product consists of two base products: 1. Angora wool primer and 2. Angora wool topcoat.

Instructions: Use immediately after opening the container. Keep the lid closed until the product is fully used.

Storage Instructions: Angora wool products have a shelf life of two years when unopened.

美国 OURSTUCCO 公司的最新一代纯羊毛纤维类涂料，采用产地安哥拉的或同等级天然羊毛，经过脱水和去脂处理，配合高分子纯水性天然树脂制作的环保材料。拥有纺织品的肌理和特殊手感的新型墙体涂料，VOC 含量极低，防潮防霉防菌等，超越大多数传统涂料的环保等级，同时安哥拉羊毛色彩艳丽、耐久不褪色，简单滚涂后扫刷，即可得到天然羊毛纤维壁纸的独特效果，安哥拉羊毛涂料是替代纯羊毛壁纸壁布的最佳产品。

产品组分：主漆成分为水，助剂，高等级羊毛，精细重钙和丙烯酸树脂等。

产品特性：OURSTUCCO 安哥拉羊毛系列产品，具有简单滚涂和扫刷，就可得到特殊的羊毛纤维壁布的肌理和花纹，同时相比传统的羊毛壁布，又具有更好的耐擦洗性，更多的色彩选择，和更长的使用性能。

产品包装：美式加仑塑料桶的标准包装 5 公斤 / 加仑。

产品型号：产品为①安哥拉羊毛底漆②安哥拉羊毛面漆，二个基础产品。


使用说明：开桶即用。没用完时，请封闭桶盖。

储存说明：安哥拉羊毛系列产品纯天然环保产品，它的不开盖储存期为 2 年。开罐后，请尽快使用完毕。


OST-AN-1001 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1002 -1KG(Supported By Ourstucco Dispenser)




OST-AN-1003 -1KG(Supported By Ourstucco Dispenser)




OST-AN-1004 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1005 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1006 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1007 -1KG(Supported By Ourstucco Dispenser)




OST-AN-1008 -1KG(Supported By Ourstucco Dispenser)




OST-AN-1009 -1KG(Supported By Ourstucco Dispenser)




OST-AN-1010 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1011 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1012 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1013 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1019 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1014 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1020 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1015 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1021 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1016 -1KG(Supported By Ourstucco Dispenser)




OST-AN-1022 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1017 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1023 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1018 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1024 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1025 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1031 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1026 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1032 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1027 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1033 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1028 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1034 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1029 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1035 -1KG(Supported By Ourstucco Dispenser)




OST-AN-1030 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1036 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1037 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1043 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1038 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1044 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1039 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1045 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1040 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1046 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1041 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1047 -1KG(Supported By Ourstucco Dispenser)




OST-AN-1042 -1KG(Supported By Ourstucco Dispenser)



OST-AN-1048 -1KG(Supported By Ourstucco Dispenser)




OST-AN-1049 ·1KG(Supported By Ourstucco Dispenser)



OST-AN-1050 ·1KG(Supported By Ourstucco Dispenser)



OST-AN-1051 ·1KG(Supported By Ourstucco Dispenser)





OURSTUCCO
中国区官网



OURSTUCCO
美国官网

Copy - Right: 12000 - 11/2025

Angola Wool:

Ourstucco Fauxfinish Paint® Angola Wool is a tintable, water-based acrylic paint. The range is available in a tinted primer, art paint midcoat and paint topcoat. Applied in a sequence of tinted primer, midcoat and paint topcoat, it produces a unique porcelain paint effect, giving the finished surface a different metallic paint and coloured finish. While traditional paint paints are applied by spraying, OURSTUCCO Angola Wool products can be applied with a roller to produce an even paint effect. Ideal for furniture, feature walls and light-filled ceilings and recesses.

Application

Stir well before use. Use at temperatures between 50° F and 90° F. Product may be applied with roller or spray equipment. After priming with the tinted primer, roll on the clear midcoat, and the crackle topcoat may be used as is or tinted to other colors. It may be thinned up to 30% with water if desired.

Tinting

Can be tinted with water-based or universal colorants (CCA) up to 10% by volume. Use of high quality pigments maintains maximum color reproduction. OURSTUCCO offers 2000 specific color formulations to U.S. retailers made with our 3 basecoats and CCA colorants. (See dealer for details).

Note: Ourstucco strongly recommends that specifiers require applicators to prepare samples in accordance with PDCA P5-94, "Benchmark Sample Procedures for Paint and Other Decorative Coating Systems."

Packaging: lamb paint are available in 3.78 liter and 10 liter product packs and Ourstucco color series are available in 0.15 liter experience packs. Stability: Approximately 3 years. Differences in monitor calibration can affect the on-screen appearance of our actual paint and stain colors. Your local Ourstucco paint and stain retailer can match and/or order the exact color you need using the Ourstucco paint or stain color name or number.

To request a material safety data sheet or to consult with an ourstucco certified coatings expert, please drop us a line at angel@ourstucco.com or visit the ourstucco website: www.ourstucco.com.

Environmental Certification :



法国A+认证



北美LEED认证



蓝天使VOC检测



丹麦国家检测



美国FDA认证



0级防霉认证

Ourstucco Paint Company has obtained various mainstream environmental certifications from major US and European countries, including the **French A+ certification** based on the international standard ISO-16000 for indoor air quality, the highest environmental rating on the French VOC label. **Danak National Testing:** ilac-MRA (Accreditation Cooperation-Mutual Recognition Arrangement), an international laboratory accreditation cooperation organization. **North American Leed certification:** developed by the U.S. Green Building Council (USGBC), is the most recognized green building certification system globally. The Blue Angel Voc test is the most stringent test level for Blue Angel certification. FDA testing, conducted by the U.S. Food and Drug Administration, is a critical step in product entry into the US market.

Level 0 mold resistance certification: Mainly based in China on GB/T 1741-2020, it represents the highest level of mold growth-free certification.

Ourstucco

The Commonwealth of Massachusetts United States of America
Business Certificate Registration Town of Hopkinton
OURSTUCCO PAINT COMPANY, INC., BOSTON,
MASSACHUSETTS, USA 01748

Commonwealth du Massachusetts, États-Unis
Certificat d'enregistrement d'entreprise, ville de Hopkinton
OURSTUCCO PAINT COMPANY, INC., BOSTON, Massachusetts,
États-Unis 01748

General Agent: Beijing OURSTUCCO Co., Ltd Songzhuang Tongzhou District
中国总代理: 北京欧施泥涂料有限公司
中国区服务电话: **400-689-0088**

Enregistrement : Ville de
Hopkinton Ourstucco Paint
Company, Inc., Boston,
Massachusetts, États-Unis

Registration: Town of
Hopkinton Ourstucco Paint
Company, Inc., Boston,
Massachusetts, Usa

Ourstucco, Inc., Boston: 1-800-853-8698