


**OURSTUCCO**  
Advanced Formula & Easy Application

# Bamboo Carbon

DEODORIZES, REMOVES FORMALDEHYDE, PURIFIES THE AIR, REGULATES HUMIDITY, PREVENTS MILDEW, BACTERIA, AND REPELS INSECTS.



Primer Batch  
Leveling



Apply 2 Coats  
4-6wet Mills



Temperature  
50 °F -100 °F



<2g/L  
Astm 6886



可以看见“竹炭粒子”的涂料，才是真正的竹炭漆

## 纳米竹炭漆

The OURSTUCCO holds multiple utility and invention patents for its liquid nitrogen ultra-low-temperature pulverization and carbon particle penetration technology. Building on this foundation, the company's nano-bamboo charcoal paint is one of the best environmentally friendly interior paints on the market and a top choice for wall coverings in existing home renovations.

The gray-black bamboo charcoal particles offer powerful odor removal, formaldehyde removal, air purification, humidity regulation, mildew and insect repellency, and the ability to convert visible light into far-infrared light. This provides comprehensive protection for families with elderly, children, and pregnant women. Caring for your family and yourself starts with bamboo charcoal paint, which you can see.

Product Ingredients: The main paint ingredients are water, additives, nano-bamboo charcoal particles, a water-penetrating agent, and acrylic resin.

Product Features: OURSTUCCO's nano-bamboo charcoal paint series can be applied by roller, but spraying offers even better results. The signature bamboo charcoal particles also offer significant decorative and humidity-regulating properties. Furthermore, compared to traditional solid-color latex paints, nano-bamboo charcoal paints offer improved scrub resistance, a wider range of colors, and longer lifespan. Product Packaging: Standard 5 kg/gallon US gallon plastic drums.

Product Type: 1. Nano Bamboo Charcoal Paint 2. 5-in-1 White Primer, two base products.

Instructions: Use immediately after opening the drum. Keep the lid closed until the paint is fully used.

Storage: Nano Bamboo Charcoal Paint products have a shelf life of 2 years when unopened.

美国 OURSTUCCO 全球领先的液氮超低温粉碎和碳粒子渗透漆膜技术，拥有多项实用和发明专利，在此之上，公司推出的纳米竹炭漆，是市面上最好的室内环保涂料之一，也是旧房改造翻新的首选墙面产品。

灰黑色的竹炭粒子，具有极强的净味，除醛，净化空气，调节湿度，防霉防菌驱虫，并可将可见光转换为远红外光的众多功能，对家里有老人，小孩和孕妇等特殊家庭，有更全面的保护效果。关爱家人和自己，从可以看见碳的竹炭漆做起。

产品组分：主漆成分为水，助剂，纳米竹炭粒子，水膜穿透因子和丙烯酸树脂等。

产品特性：OURSTUCCO 纳米竹炭漆系列产品，可以滚涂施工，喷涂效果更佳；标志性的竹炭粒子，也具有显著的装饰功能和调节湿度的功能；同时相比传统的乳胶漆类单色涂料，纳米竹炭漆又具有更好的耐擦洗性，更多的色彩选择，和更长的使用性能。

产品包装：美式加仑塑料桶的标准包装 5 公斤 / 加仑。

产品型号：产品为①纳米竹炭漆②五合一白色底漆，二个基础产品。

使用说明：开桶即用。没用完时，请封闭桶盖。

储存说明：纳米竹炭漆系列产品的不开盖储存期为 2 年。

Bamboo Charcoal

## Bamboo Carbon

Product series introduction Distributing area protection  
Ourstucco dispenser color system Ourstucco APP color system  
Expert contact on line Color supported by Full gamut system  
Specialty Water Coatings



## 纳米竹炭漆

可以看见 " 竹炭粒子 " 的涂料

Bamboo Carbon ·5KG(Supported by dispenser)



萝卜岩 OST-ZT-1001  
-5KG(Supported by dispenser)



汉密尔顿 OST-ZT-1002  
-5KG(Supported by dispenser)



大沙丘 OST-ZT-1003  
-5KG(Supported by dispenser)



拉克山 OST-ZT-1004  
-5KG(Supported by dispenser)



洛根山 OST-ZT-1005  
-5KG(Supported by dispenser)



麋鹿山 OST-ZT-1006  
-5KG(Supported by dispenser)



蒙大拿 OST-ZT-1007  
-5KG(Supported by dispenser)



莫哈韦 OST-ZT-1008  
-5KG(Supported by dispenser)



飞喷泉 OST-ZT-1009  
-5KG(Supported by dispenser)




锡安 OST-ZT-1010  
-5KG(Supported by dispenser)




河滨 OST-ZT-1011  
-5KG(Supported by dispenser)



狭窄峡谷 OST-ZT-1012  
-5KG(Supported by dispenser)






约书亚 OST-ZT-1013  
-5KG(Supported by dispenser)




肖肖尼 OST-ZT-1014  
-5KG(Supported by dispenser)




阿尔沃德 OST-ZT-1015  
-5KG(Supported by dispenser)




精致拱门 OST-ZT-1016  
-5KG(Supported by dispenser)



帕卢斯 OST-ZT-1017  
-5KG(Supported by dispenser)



烟雾山 OST-ZT-1018  
-5KG(Supported by dispenser)



伯恩斯 OST-ZT-1019  
-5KG(Supported by dispenser)



布莱斯 OST-ZT-1020  
-5KG(Supported by dispenser)



众神花园 OST-ZT-1021  
-5KG(Supported by dispenser)



红宝石 OST-ZT-1022  
-5KG(Supported by dispenser)




火山口 OST-ZT-1023  
-5KG(Supported by dispenser)




羚羊峡谷 OST-ZT-1024  
-5KG(Supported by dispenser)




白沙 OST-ZT-1025  
-5KG(Supported by dispenser)



神奇湖 OST-ZT-1026  
-5KG(Supported by dispenser)



卡多 OST-ZT-1027  
-5KG(Supported by dispenser)



孟山丘 OST-ZT-1028  
-5KG(Supported by dispenser)




优胜美地 OST-ZT-1029  
-5KG(Supported by dispenser)



迷雾 OST-ZT-1030  
-5KG(Supported by dispenser)



板岩 OST-ZT-1031  
-5KG(Supported by dispenser)




山川 OST-ZT-1032  
-5KG(Supported by dispenser)



加州灰 OST-ZT-1033  
-5KG(Supported by dispenser)



亚利桑那 OST-ZT-1034  
-5KG(Supported by dispenser)



黄石公园 OST-ZT-1035  
-5KG(Supported by dispenser)




檀香山 OST-ZT-1036  
-5KG(Supported by dispenser)







蓝脊公路 OST-ZT-1037  
-5KG(Supported by dispenser)



波浪谷 OST-ZT-1038  
-5KG(Supported by dispenser)



郁金香 OST-ZT-1039  
-5KG(Supported by dispenser)




哈泊斯费 OST-ZT-1040  
-5KG(Supported by dispenser)



大稜镜 OST-ZT-1041  
-5KG(Supported by dispenser)



约塞米蒂 OST-ZT-1042  
-5KG(Supported by dispenser)



哈德逊 OST-ZT-1043  
-5KG(Supported by dispenser)




红山林 OST-ZT-1044  
-5KG(Supported by dispenser)



塔霍湖 OST-ZT-1045  
-5KG(Supported by dispenser)




考艾岛 OST-ZT-1046  
-5KG(Supported by dispenser)




提顿山 OST-ZT-1047  
-5KG(Supported by dispenser)




科罗拉多 OST-ZT-1048  
-5KG(Supported by dispenser)




瀑布 OST-ZT-1049  
-5KG(Supported by dispenser)



沼泽 OST-ZT-1050  
-5KG(Supported by dispenser)



摩特诺玛 OST-ZT-1051  
-5KG(Supported by dispenser)



冰川 OST-ZT-1052  
-5KG(Supported by dispenser)




水潭 OST-ZT-1053  
-5KG(Supported by dispenser)



门登霍尔 OST-ZT-1054  
-5KG(Supported by dispenser)



尖顶湾 OST-ZT-1055  
-5KG(Supported by dispenser)



孔雀山 OST-ZT-1056  
-5KG(Supported by dispenser)



哈伯德 OST-ZT-1057  
-5KG(Supported by dispenser)



彩绘山丘 OST-ZT-1058  
-5KG(Supported by dispenser)



飞喷泉 OST-ZT-1059  
-5KG(Supported by dispenser)



雷尼尔山 OST-ZT-1060  
-5KG(Supported by dispenser)



## Bamboo Carbon

Product series introduction Distributing area protection  
Ourstucco dispenser color system Ourstucco APP color system  
Expert contact on line Color supported by Full gamut system  
Specialty Water Coatings

### Patented products:

#### Ultra-High-Temperature Calcination and Carbonization:

Fresh bamboo slices or sections are calcined at 1000°C to completely carbonize the bamboo joints or pieces.

#### Ultra-Low-Temperature Freezing and Pulverization:

Ultra-Low-Temperature Freezing and Pulverization using liquid nitrogen leaves the microstructure intact (compared to traditional mechanical crushing and grinding, the activity of the bamboo charcoal is increased by over 90%).

#### Bamboo Charcoal and Water Separation Technology:

Bamboo charcoal particle isolation technology allows the charcoal particles to pass directly through the coating, making them visible to the naked eye and significantly enhancing the charcoal's inherent properties. Bamboo charcoal paints from traditional paint manufacturers are essentially covered in paint, losing much of the charcoal's adsorption properties, such as formaldehyde removal, harmful substance decomposition, and humidity regulation.

### 纳米竹炭漆专利生产工艺 (★难易等级)

#### 超高温煅烧碳化: ★

鲜竹切片或分段, 1000 度高温煅烧, 完整碳化竹节或竹片。

#### 超低温冷冻粉碎: ★★★★★

液氮超低温冷冻粉碎, 不破坏任何微观结构 (相较于传统的机械压碎研磨, 竹炭的活性提升 90% 以上)

#### 竹炭和水分离技术: ★★★★★★

竹炭粒子导气隔离技术, 让竹炭粒子直接透过涂层 (肉眼可见), 完全展现了竹炭固有的各类优良性能。而传统涂料厂家的竹炭漆, 基本上涂料中竹炭粒子被涂料完全覆盖, 失去了大部分竹炭的吸附性, 分解有害物质, 调节湿度等性能。



OURSTUCCO  
中国区官网



OURSTUCCO  
美国官网

Copy - Right: 15000 - 11/2025

## Bamboo Carbon:

Ourstucco Fauxfinish Paint® Bamboo Carbon is a tintable, water-based acrylic paint. The range is available in a tinted primer, artpaint midcoat and paint topcoat. Applied in a sequence of tinted primer, midcoat and paint topcoat, it produces a unique porcelain paint effect, giving the finished surface a different metallic paint and coloured finish. While traditional paint paints are applied by spraying, OURSTUCCO Bamboo Carbon products can be applied with a roller to produce an even paint effect. Ideal for furniture, feature walls and light-filled ceilings and recesses.

### Application

Stir well before use. Use at temperatures between 50° F and 90° F. Product may be applied with roller or spray equipment. After priming with the tinted primer, roll on the clear midcoat, and the crackle topcoat may be used as is or tinted to other colors. It may be thinned up to 30% with water if desired.

### Tinting

Can be tinted with water-based or universal colorants (CCA) up to 10% by volume. Use of high quality pigments maintains maximum color reproduction. OURSTUCCO offers 2000 specific color formulations to U.S. retailers made with our 3 basecoats and CCA colorants. (See dealer for details).

Note:Ourstucco strongly recommends that specifiers require applicators to prepare samples in accordance with PDCA P5-94, "Benchmark Sample Procedures for Paint and Other Decorative Coating Systems."

Packaging: lamb paint are available in 3.78 liter and 10 liter product packs and Ourstucco color series are available in 0.15 liter experience packs. Stability: Approximately 3 years. Differences in monitor calibration can affect the on-screen appearance of our actual paint and stain colors. Your local Ourstucco paint and stain retailer can match and/or order the exact color you need using the Ourstucco paint or stain color name or number.

To request a material safety data sheet or to consult with an ourstucco certified coatings expert, please drop us a line at [angel@ourstucco.com](mailto:angel@ourstucco.com) or visit the ourstucco website:[www.ourstucco.com](http://www.ourstucco.com).

## Environmental Certification :



法国A+认证



北美LEED认证



蓝天使VOC检测



丹麦国家检测



美国FDA认证



0级防霉认证

Ourstucco Paint Company has obtained various mainstream environmental certifications from major US and European countries, including the **French A+ certification** based on the international standard ISO-16000 for indoor air quality, the highest environmental rating on the French VOC label. **Danak National Testing:** ilac-MRA (Accreditation Cooperation-Mutual Recognition Arrangement), an international laboratory accreditation cooperation organization. **North American Leed certification:** developed by the U.S. Green Building Council (USGBC), is the most recognized green building certification system globally. The Blue Angel Voc test is the most stringent test level for **Blue Angel** certification. **FDA testing,** conducted by the U.S. Food and Drug Administration, is a critical step in product entry into the US market.

**Level 0 mold resistance certification:** Mainly based in China on GB/T 1741-2020, it represents the highest level of mold growth-free certification.

## Ourstucco

The Commonwealth of Massachusetts United States of America  
Business Certificate Registration Town of Hopkinton  
OURSTUCCO PAINT COMPANY, INC., BOSTON,  
MASSACHUSETTS, USA 01748

Commonwealth du Massachusetts, États-Unis  
Certificat d'enregistrement d'entreprise, ville de Hopkinton  
OURSTUCCO PAINT COMPANY, INC., BOSTON, Massachusetts,  
États-Unis 01748

General Agent: Beijing OURSTUCCO Co., Ltd Songzhuang Tongzhou District  
中国总代理: 北京欧施泥涂料有限公司  
中国区服务电话: **400-689-0088**

Enregistrement : Ville de  
Hopkinton Ourstucco Paint  
Company, Inc., Boston,  
Massachusetts, États-Unis

Registration: Town of  
Hopkinton Ourstucco Paint  
Company, Inc., Boston,  
Massachusetts, Usa

Ourstucco, Inc., Boston: 1-800-853-8698